
	Application No.	Applicant(s)	
Notice of Allowability	10/824,899	UNSWORTH ET AL.	
	Examiner	Art Unit	
	Wilbert L. Starks, Jr.	2129	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>Amendment filed 03/29/2005</u> .			
2. The allowed claim(s) is/are <u>1,2,5-10,13-26 and 31-41</u> .			
3. The drawings filed on 15 April 2004 are accepted by the Examiner.			
4.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal P 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendo 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	·



Application/Control Number: 10/824,899 Page 2

Art Unit: 2129

DETAILED ACTION

Reasons For Allowance

1. Claims 1-2, 5-10, 13-26, and 31-41 are allowed.

2. The following is an Examiner's statement of reasons for allowance:

The cited prior art taken alone or in combination fails to teach the claimed invention of detecting pump cavitation/blockage and seal failure, as claimed by Applicant. Specifically, independent claims 1, 9, 19, 26, 32, 33, and 36 disclose the use of a "one-shot" neural network for this purpose.

- 3. The closest prior art of llott, P.W., et al teaches the use of neural networks for the development of a pumping system decision support tool, but fails to teach or suggest the use of a "one-shot" neural network. To the extent that this feature is not present in the prior art cited by Examiner, the present case is found to be allowable over the art of record.
- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/824,899 Page 3

Art Unit: 2129

Conclusion

5. This application is in condition for allowance except for the following formal matters:

6. Claims 29 and 30 are dependent upon cancelled claim 28. If these claims are

either cancelled or made dependent upon one of the independent claims already

allowed in this case above, the defect will be cured (aside from having to renumber the

claims to reflect the changes.)

7. Prosecution on the merits is closed in accordance with the practice under Ex

parte Quayle, 1935 C.D. 11, 453 O.G. 213.

8. A shortened statutory period for reply to this action is set to expire **TWO**

MONTHS from the mailing date of this letter.

9. Any inquiry concerning this communication or earlier communications from the

Examiner should be directed to Wilbert L. Starks, Jr. whose telephone number is (571)

272-3691.

Alternatively, inquiries may be directed to the following:

S. P. E. Anthony Knight (5

(571) 272-3687

After-final (FAX)

(703) 746-7238

Official (FAX)

(703) 746-7239

Non-Official/Draft (FAX)

(703) 746-7240

WLS

17 April 2005

Wilbert L. Starks, Jr.
Wilbert L. Starks, Jr.
Primary Examiner
Art Unit - 2121